

RECORD MANAGEMENT

[RECORD MANAGEMENT IS REPORTED BY GRANTEE STAFF AT BASELINE, REASSESSMENT, AND DISCHARGE, REGARDLESS OF WHETHER AN INTERVIEW IS CONDUCTED.]

Consumer ID | | | | | | | | | | | | | | | | | |

Grant ID (Grant/Contract/Cooperative Agreement) | | | | | | | | | | | | | | | | | |

Site ID | | | | | | | | | | | | | | | | | |

1. Indicate Assessment Type:

<input type="radio"/> Baseline <i>[ENTER THE MONTH AND YEAR WHEN THE CONSUMER FIRST RECEIVED SERVICES UNDER THE GRANT FOR THIS EPISODE OF CARE.]</i> / MONTH YEAR	<input type="radio"/> Reassessment Which 6-month reassessment? <i>[ENTER 06 FOR A 6-MONTH, 12 FOR A 12-MONTH, 18 FOR AN 18-MONTH ASSESSMENT, ETC.]</i>	<input type="radio"/> Clinical Discharge
--	--	--

2. Was the interview conducted?

<input type="radio"/> Yes When? / / MONTH DAY YEAR	<input type="radio"/> No Why not? Choose only one. <input type="radio"/> Not able to obtain consent from proxy <input type="radio"/> Consumer was impaired or unable to provide consent <input type="radio"/> Consumer refused this interview only <input type="radio"/> Consumer was not reached for interview <input type="radio"/> Consumer refused all interviews
--	--

BEHAVIORAL HEALTH DIAGNOSES

3. Behavioral Health Diagnoses [REPORTED BY PROGRAM STAFF.]

Please indicate the consumer's current behavioral health diagnoses using the International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) codes listed below. Please note that some substance use disorder ICD-10-CM codes have been crosswalked to the *Diagnostic and Statistical Manual of Mental Disorders (DSM-5)* descriptors. Select up to three diagnoses. For each diagnosis selected, please indicate whether it is primary, secondary, or tertiary, if known. Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
<u>SUBSTANCE USE DISORDER DIAGNOSES</u>				
<u>Alcohol-related disorders</u>				
F10.10 – Alcohol use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.11 – Alcohol use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.20 – Alcohol use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.21 – Alcohol use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.9 – Alcohol use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Opioid-related disorders</u>				
F11.10 – Opioid use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.11 – Opioid use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.20 – Opioid use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.21 – Opioid use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.9 – Opioid use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Cannabis-related disorders</u>				
F12.10 – Cannabis use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.11 – Cannabis use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.20 – Cannabis use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.21 – Cannabis use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.9 – Cannabis use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Sedative-, hypnotic-, or anxiolytic-related disorders</u>				
F13.10 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F13.11 – Sedative, hypnotic, or anxiolytic use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BEHAVIORAL HEALTH DIAGNOSES (CONTINUED)

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
F13.20 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F13.21 – Sedative, hypnotic, or anxiolytic use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F13.9 – Sedative, hypnotic, or anxiolytic use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Cocaine-related disorders</u>				
F14.10 – Cocaine use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.11 – Cocaine use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.20 – Cocaine use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.21 – Cocaine use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.9 – Cocaine use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Other stimulant-related disorders</u>				
F15.10 – Other stimulant use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.11 – Other stimulant use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.20 – Other stimulant use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.21 – Other stimulant use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.9 – Other stimulant use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Hallucinogen-related disorders</u>				
F16.10 – Hallucinogen use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.11 – Hallucinogen use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.20 – Hallucinogen use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.21 – Hallucinogen use disorder moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.9 – Hallucinogen use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Inhalant-related disorders</u>				
F18.10 – Inhalant use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.11 – Inhalant use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.20 – Inhalant use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.21 – Inhalant use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.9 – Inhalant use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BEHAVIORAL HEALTH DIAGNOSES (CONTINUED)

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
<u>Other psychoactive substance-related disorders</u>				
F19.10 – Other psychoactive substance use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.11 – Other psychoactive substance use disorder, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.20 – Other psychoactive substance use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.21 – Other psychoactive substance use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.9 – Other psychoactive substance use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Nicotine dependence</u>				
F17.20 – Tobacco use disorder, mild/moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F17.21 – Tobacco use disorder, mild/moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>MENTAL HEALTH DIAGNOSES</u>				
F20 – Schizophrenia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F21 – Schizotypal disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F22 – Delusional disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F23 – Brief psychotic disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F24 – Shared psychotic disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F25 – Schizoaffective disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F28 – Other psychotic disorder not due to a substance or known physiological condition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F29 – Unspecified psychosis not due to a substance or known physiological condition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F30 – Manic episode	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F31 – Bipolar disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F32 – Major depressive disorder, single episode	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F33 – Major depressive disorder, recurrent	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F34 – Persistent mood [affective] disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F39 – Unspecified mood [affective] disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F40–F48 – Anxiety, dissociative, stress-related, somatoform, and other nonpsychotic mental disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F50 – Eating disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F51 – Sleep disorders not due to a substance or known physiological condition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F60.2 – Antisocial personality disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F60.3 – Borderline personality disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BEHAVIORAL HEALTH DIAGNOSES (CONTINUED)

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
F60.0, F60.1, F60.4–F69 – Other personality disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F70–F79 – Intellectual disabilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F80–F89 – Pervasive and specific developmental disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F90 – Attention-deficit hyperactivity disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F91 – Conduct disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F93 – Emotional disorders with onset specific to childhood	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F94 – Disorders of social functioning with onset specific to childhood or adolescence	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F95 – Tic disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F98 – Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F99 – Unspecified mental disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

- Don't know
- None of the above

[IF THIS IS A BASELINE, GO TO SECTION A.]

[FOR ALL REASSESSMENTS:

IF AN INTERVIEW WAS CONDUCTED, GO TO SECTION B.]

IF AN INTERVIEW WAS NOT CONDUCTED, GO TO SECTION I.]

[FOR A CLINICAL DISCHARGE:

IF AN INTERVIEW WAS CONDUCTED, GO TO SECTION B.]

IF AN INTERVIEW WAS NOT CONDUCTED, GO TO SECTION J.]

I. REASSESSMENT STATUS

[SECTION I IS REPORTED BY GRANTEE STAFF AT REASSESSMENT.]

1. Have you or other grant staff had contact with the consumer within 90 days of the last encounter?

- Yes
- No

2. Is the consumer still receiving services from your project?

- Yes
- No

[GO TO SECTION K.]

J. CLINICAL DISCHARGE STATUS

[SECTION J IS REPORTED BY GRANTEE STAFF ABOUT THE CONSUMER AT CLINICAL DISCHARGE.]

1. On what date was the consumer discharged?

 |_|_|_| / |_|_|_|_|_|
 MONTH YEAR

2. What is the consumer's discharge status?

- Mutually agreed cessation of treatment
- Withdrew from/refused treatment
- No contact within 90 days of last encounter
- Clinically referred out
- Death
- Other (Specify) _____

[GO TO SECTION K.]

K. SERVICES RECEIVED

[SECTION K IS REPORTED BY GRANTEE STAFF AT REASSESSMENT AND DISCHARGE UNLESS THE CONSUMER REFUSED THIS INTERVIEW OR ALL INTERVIEWS, IN WHICH CASE THE SECTION IS OPTIONAL.]

1. On what date did the consumer last receive services?

/
 MONTH YEAR

[IDENTIFY ALL OF THE SERVICES YOUR PROJECT PROVIDED TO THE CONSUMER SINCE HIS/HER LAST NOMS INTERVIEW; THIS INCLUDES CMHS-FUNDED AND NON-CMHS-FUNDED SERVICES.]

Core Services	Provided		UNKNOWN	SERVICE NOT AVAILABLE
	Yes	No		
1. Screening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Assessment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Treatment Planning or Review	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Psychopharmacological Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Mental Health Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

[IF THE ANSWER TO QUESTION 5, "MENTAL HEALTH SERVICES," IS YES, PLEASE ESTIMATE HOW FREQUENTLY MENTAL HEALTH SERVICES WERE DELIVERED.]

Number of times ____ per
 Day
 Week
 Month
 Year
 UNKNOWN

Core Services (Continued)	Provided		UNKNOWN	SERVICE NOT AVAILABLE
	Yes	No		
6. Co-occurring Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Case Management	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Trauma-specific Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. Was the consumer referred to another provider for any of the above core services?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Support Services	Provided		UNKNOWN	SERVICE NOT AVAILABLE
	Yes	No		
1. Medical Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Employment Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Family Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Child Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Transportation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Education Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Housing Support	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Social Recreational Activities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. Consumer-Operated Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
10. HIV Testing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11. Was the consumer referred to another provider for any of the above support services?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>